


INDEX MAPS.
T. 16 N R. 14 E. 2nd Mer.

493 496 6	493 501 5	494 504 4	494 509 3	494 509 2	1
500	504	508	510	509	
496 7	500 8	504 9	508 10	510 11	12
500	506	508	510	511	
496 18	499 17	503 16	508 15	511 14	13
499	503	507	507		
495 19	498 20	502 21	507 22	23	24
498	502	506	506		
495 30	498 29	502 28	506 27	26	25
497	501	505	505		
495 31	497 32	501 33	505 34	35	36
492	492	492	493		

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

492

Township N. 16 North, Range N. 14 East 2.^d Mer. Indiana.

Ch. Lk.

South Boundary.

var. 5. 45. 6

East On S. boundary of Sec. 31

30.00 a Brook 3 lks. wide Course N.W.

40.00 Set of Sec. post, from which

at Beech 6 in. diam. bear S 20 E 6 lks. dist. of

a Do. 14 " " " N 28 W 34 " "

43.00 a Brook 3 lks. wide Course N.W.

49.30 a Sugar 12 in. diam.

80.00 Set post Cor. to Sec. 31 & 32, from which

at Beech 28 in. diam. bear S 64 W 18 lks. dist. of

a Sugar 12 " " " N 35 E 23 " "

Good level Beech land.

East On S. boundary of Sec. 32

40.00 Set of Sec. post, from which

a Sugar 14 in. diam. bear N 70 W 17 lks. dist. of

a Beech 18 " " " S 30 E 12 " "

60.00 a Brook 3 lks. wide Course N.E.

70.00 a Do. 6 " " " S.E.

80.00 Set post Cor. to Sec. 32 & 33, from which

a Hickory 22 in. diam. bear N 71 W 15 lks. dist. of

a Beech 15 " " " S 50 E 16 " "

First half good of last 1/2 hilly poor land,
timber Beech, Sugar, Oak & Hickory

East On S. boundary of Sec. 33

8.00 a Brook 4 lks. wide Course S.E.

40.00 Set of Sec. post, from which

at Beech 14 in. diam. bear N 28 W 19 lks. dist. of

a Do. 7 " " " S 41 E 30 " "

47.00 a Brook 10 lks. wide Course S.E.

80.00 Set post Cor. to Sec. 33 & 34, from which

a W. Oak 18 in. diam. bear S 76 E 24 lks. dist. of

a Do. 18 " " " N 72 W 34 " "

Poor hilly land, timber Beech, Oak &c.

T16 N. R14 E. 2nd Mer. Indiana

ch. lks.

East On S. boundary of Sec. 34
 20.00 a Brook 5 lks. wide Course S. E.
 21.00 intersected the Old Indian boundary line
 Set post at intersection from which
 a W. Oak 18 in. diam. bear S40 W 13 lks. dist. of
 a Do. 10 " " " S82 E 28 " "
 Land hilly timber Beech, Oak &c.

North Boundary. var. S. 45. E.

East On S. boundary of Sec. 31, T17 N. R14 E
 8.00 a Brook 3 lks. wide Course S. E.
 32.00 a Do. 30 " " " South
 32.50 a Sugar 18 in. diam.
 40.00 Set q. Sec. post, from which
 an Ash 36 in. diam. bear S72 E 26 lks. dist. of
 a Beech 16 " " " N72 W 36 " "
 48.00 West side of a Swamp extending N of S.
 58.00 E. side of Swamp, kept close on the South side
 of an Arm the Swamp
 72.00 entered Swamp and kept in it.
 80.00 Set post Cor. to Sec. 31 & 32 in Swamp, from which
 a Maple 30 in. diam. bear N74 E 34 lks. dist. of
 an Ash 6 " " " N75 W 48 " "
 First half, good land, timber Beech, Sugar, Poplar &c.
 last half, Mostly Swamp, Maple, Ash &c

East On S. boundary of Sec. 32, T17 N. R14 E.
 4.00 quit the Swamp it extends South
 17.00 a Brook 6 lks. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a Beech 8 in. diam. bear S63 E 4 lks. dist. of
 a Do. 18 " " " West 30 " "
 45.00 a Brook 3 lks. wide Course S.
 78.00 a Wagon road
 80.00 Set post Cor. to Sec. 32 & 33, from which
 a Beech 18 in. diam. bear N70 E 27 lks. dist. of

494

T16 N. R14 E. 2^d Mer. Indiana

ch^d. 46₂

at Beech 10 in. diam. beam N73 E 10 lks. dist.
First 1/2 poor, timber Beech - last 1/2 first rate
land, timber Beech, Ash, Elm, Walnut &c.

East On S. boundary of Sec. 33, T17 N. R14 E

13.00 at Brook 6 lks. wide Course S.

16.00 touched brook Course S. W.

28.00 a Creek 60 lks. wide Course S. W.

35.00 at Brook 6 " " " S.

40.00 Set q. Sec. post, from which
a W. Oak 16 in. diam. beam N3 E 19 lks. dist. of
a No. 12 " " " S45 E 21 " "

80.00 Set post Cor. to Sec. 33 of 34, from which
at Beech 12 in. diam. beam N73 W 7 lks. dist. of
a No. 30 " " " S61 E 26 " "
Rich bottom land, timber Sugar, Ash, Elm &c.

East On S. boundary of Sec. 34, T17 N. R14 E.

40.00 Set q. Sec. post, from which
at Beech 20 in. diam. beam S35 E 21 lks. dist. of
a No. 12 " " " N65 W 29 " "

Good Beech land

80.00 Set post Cor. to Sec. 34 of 35, from which
a Hickory 12 in. diam. beam N55 E 14 lks. dist. of
a No. 14 " " " S45 W 27 " "

Good level, timber Beech & Hickory

East On S. boundary of Sec. 35, T17 N. R14 E.

22.19 a Hickory 15 in. diam.

42.25 Intersected the Old Indian boundary line

Set post at intersection, from which
a Poplar 36 in. diam. beam N22 E 14 lks. dist. of
an Ash 15 " " " S46 W 14 " "

Good Beech land

October 27th 1810

T16 N. R14 E 2nd Mer. Indianach^d. lks.

West Boundary.

var 5.45' E.

North On E. boundary of Sec. 36, T16 N. R13 E.

5.00 a Brook 4 lks. wide Course W.

25.00 a Beech 18 in. diam.

38.00 a Brook 3 lks. wide Course W

40.00 Set of. Sec. post, from which

a Beech 12 in. diam. beam N 29° 15 lks. dist. of

a Do. 14 " " " S 55° E 12 " "

Good land, timber Beech, Sugar &c.

40.50 a Brook 5 lks. wide Course W.

66.00 a Do 10 " " " W

80.00 Set post Cor. to Sec. 25 & 36, from which

a Sugar 16 in. diam. beam S 10° E 30 lks. dist. of

an Ironwood 6 " " " N 2° E 17 " "

Rich level land timber Sugar, timber &c.

North On E. boundary of Sec. 25, T16 N. R13 E.

20.00 a Brook 10 lks. wide Course S. W.

40.00 Set of. Sec. post, from which

a Beech 16 in. diam. beam S 22° E 20 lks. dist. of

a Do. 14 " " " N 12° E 19 " "

55.25 an Ash 18 " "

80.00 Set post Cor. to Sec. 24 & 25, from which

a Sugar 6 in. diam. beam S 81° W 37 lks. dist. of

a Do. 6 " " " N 72° E 71 " "

Land level rich, timber Sugar, Ash, Beech &c.

North On E. boundary of Sec. 24, T16 N. R13 E.

10.00 a Brook 10 lks. wide Course W.

30.00 a Creek 100 lks. wide " S. E.

40.00 Set of. Sec. post, from which

a Buckeye 16 in. diam. beam S 11° E lks. dist. of

a Do. 16 " " " N 50° W 20 " "

80.00 Set post Cor. to Sec. 13 & 24, from which

a Buckeye 10 in. diam. beam N 54° E 4 lks. dist. of

a Sugar 12 " " " S 60° W 23 " "

496

T16 N. R14 E. 2^d Mer. Indiana
ch. lks.

Over very rich bottom, timber Sugar, Buckeye,
Walnut, Ash &c. Oct. 26th. 1810

North On E. boundary of Sec. 13, T16 N. R13 E.

19.50 an Ash 36 in. diam.

40.00 Set of Sec. post, from which
a Beech 31 in. diam. bray S33 E 3 lks. dist. of
a Do. 24 " " " N18 E 26 " "

56.00 a Brook 3 lks. wide Course E.

67.00 a Do. 6 " " " S. E.

80.00 Set post Cor. to Sec. 12 & 13, from which
a Sugar 18 in. diam. bray S66 W 18 lks. dist. of
a Beech 10 " " " N40 E 17 " "
First 1/2 mile 1st rate bottom, Sugar, Ash, Buckeye
last 1/2 mile good land, timber same

North On E. boundary of Sec. 12, T16 N. R13 E.

14.00 a Brook 3 lks. wide Course E.

22.50 a Do. 4 " " " E.

38.00 a Do. 4 " " " E.

40.00 Set of Sec. post, from which
a Hickory 6 in. diam. bray S82 E 12 lks. dist. of
a Beech 24 " " " S87 W 29 " "

63.70 an Ash 30 " "

66.50 a Brook 3 lks. wide Course E.

80.00 Set post Cor. to Sec. 11 & 12, from which
a Beech 30 in. diam. bray N32 E 10 lks. dist. of
a Fine Ash 20 " " " S21 W 48 " "
Level rich land, timber Sugar, Ash, Elm &c

North On E. boundary of Sec. 1, T16 N. R13 E.

10.00 a Brook 3 lks. wide Course E.

26.62 an Ash 18 in. diam.

34.00 a Brook 3 lks. wide Course E.

40.00 Set of Sec. post, from which
a W. Oak 18 in. diam. bray N11 W 6 lks. dist. of

T16N R14E 2^d. Mer. Indiana
ch^r. Mer.

a Poplar 30 in. diam. beam S34E 43 lks. dist
41.00 a Beech 3 lks. wide Course E
61.00 a Do. 3 lks. " " E.
73.00 a Do. 3 lks. " " E.
80.00 Set post Cor. to Township, 16 & 17 North, of
Range, 13 & 14 East, from which
a Spruce 30 in. diam. beam S75W 22 lks. dist. of
an Ash 16 " " " N80E 17 " "
Rich level land, timber Sugar, Ash, Beech, Poplar &c.
Surveyed in 1810 by
Alexander Holmes
Deputy Surveyor

Subdivision. Dec. 8th 1810

Beginning at the S.W. Corner of Town 16 N
Range 14 East. Thence
East On the Township line
40.00 to a half mile post
80.00 to the Corner of Sec. 31 & 32, Thence

North Between Sec. 31 & 32

10.50 a Beech 14 in. diam.

40.00 Set q. Sec. post, from which
a Beech 3 in. diam. beam S10W 9 lks. dist. of
a Do. 15 " " " NW E 32 " "

41.00 a Spring branch Course W

53.00 a Sugar tree 9 in. diam.

62.00 a Spring branch Course W

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Sugar 30 in. diam. beam N71E 9 lks. dist. of
a Poplar 24 " " " N78W 24 " "
Level good land, timber Beech, Ash, Poplar & Sugar

West On Rand^m. between Sec. 30 & 31

40.00 Set temp^y. q. Sec. post

80.00 Intersected the W. boundary at the post

498

T6 N. R14 E. 2^d Mer. Indiana

ch. lks. Level good farming land, Beech, Ash, Poplar, Sugar.

East Corrected between Sec. 30 & 31

44.50 a Sugar tree 10 in. diam.
40.00 Set of Sec. post, from which
an Elm 18 in. diam. bears N 23 E 9 lks. dist. &
a Beech 6 " " " N 35 W 34 " "
67.17 a Sugar 14 " "
80.00 to Sec. Corner

North Between Sec. 29 & 30

18.75 a Poplar 18 in. diam.
39.90 a Spring branch 180 W
40.00 Set of Sec. post, from which
a W. Ash 15 in. diam. bears N 47 E 26 lks. dist. &
a B. Oak 6 " " " N 8 E 25 " "
63.10 a Sugar tree 10 " "
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 10 in. diam. bears N 30 W 25 lks. dist. &
a Sugar 4 " " " N 59 E 21 " "
Land timber &c. same as on the last mile

West On Rand^m. between Sec. 19 & 30

40.00 Set temp^y. of Sec. post
80.00 Intersected W. boundary 10 lks. N. of post
Land timber &c. same as on the last mile

East Corrected between Sec. 19 & 30

40.00 Set of Sec. post, from which
a Beech 26 in. diam. bears East 16 lks. dist. &
a Sugar 9 " " " N 10 W 10 " "
70.00 a Beech 6 " "
80.00 to Sec. Corner Dec. 8th 1810

North Between Sec. 19 & 20

11.75 a W. Ash 18 in. diam.

N. N. R. & E. 2^d Mer. Indiana

ch. lks.

18.00 a Spring branch Course S. W

40.00 Set of. Sec. post, from which
a Beech 18 in. diam. beam N 84 W 14 lks. dist. of
a Do. 14 " " " N 82 E 25 " "

51.12 a Sugar tree 10 in. diam.

80.00 Set post Cor. to Sec. 17, 18, 19, 20, from which
a Beech 6 in. diam. beam S 34 W 11 lks. dist. of
a Do. 14 " " " N 61 E 25 " "

Sand timber &c. Same as on the last mile

West On Rand^m. between Sec. 18 & 19

40.00 Set temp. of. Sec. post

51.60 a Spring branch S 13 W

70.35 a Stream 25 lks. wide Course S 30 W

80.10 Intersected the W. boundary 17 lks. N. of post
Soil good land, Soil rich, timber Beech
Ash, Sugar, Elm, Buckeye &c. Richly ash & spice

East Corrected between Sec. 18 & 19

40.05 Set of. Sec. post at average dist. from which
a Buckeye 6 in. diam. beam S 59 W 12 lks. dist. of
a Sugar tree 6 " " " N 47 E 13 " "

80.10 to Sec. Corner

North Between Sec. 17 & 18

23.10 a Sugar tree 12 in. diam.

40.00 Set of. Sec. post, from which
a Beech 10 in. diam. beam N 20 E 12 lks. dist. of
a Sugar 24 " " " N 64 W 15 " "

54.00 a Spring branch Course S. W.

67.18 a Beech 10 in. diam.

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Sugar 20 in. diam. beam North 16 lks. dist. of
a Beech 18 " " " S 15 W 12 " "

Sand timber &c. Same as on the last mile

S 16 N R 14 E 2^d Mer. Indiana

500

ch. lks

West Between Sec. 7 & 18 On Random

23.67 a Stream 100 lks. wide Course S 70° W

28.17 " Do 75 " " " West on the line

32.17 " Do 75 " " " Turns South

40.00 Set temp. q. Sec. post

80.17 Intersected W. boundary 22 lks. N. of post
Sand timber &c. same as on the last mile

East Corrected between Sec. 7 & 18

40.08 1/2 Set q. Sec. post at average dist. from which
a W. Oak 30 in. diam. bran N 34 E 18 lks. dist. &
a Sm Oak 50 " " " N 11° W 30 " "

80.17 to Sec. Corner.

North Between Sec. 7 & 8

22.75 a Spring branch Course W.

28.18 a Beech 16 in. diam.

40.00 Set q. Sec. post, from which
a Beech 24 in. diam. bran N 89° W 3 lks. dist. &
a Sugar tree 4 " " " S 61 E 27 " "

53.00 a Sugar tree 10 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 12 in. diam. bran N 41 E 35 lks. dist. &
a Do. 12 " " " S 5 E 7 " "

Level good farming land, timber Beech, Ash,
Elm, Sugar tree &c. Dec. 9th 1810

West On Rand^m between Sec. 6 & 7

15.62 a Stream 100 lks. wide Course S 20° W

40.00 Set temp. q. Sec. post

80.12 Intersected the W. boundary 30 lks. N. of post
Sand timber &c. same as on the last mile

East Corrected between Sec. 6 & 7

40.06 Set q. Sec. post at average dist. from which
a Beech 16 in. diam. bran N 68° W 7 lks. dist. &

T16 N. 1 E 14 E. 2^d Mer. Indiana

ch. 1st 1/2

a Beech 3 in. diam. bear S 29 E 34 1/2 lbs. dist
80.12 to Sec. Corner.

North Between Sec. 5 & 6 On Rand^m.

18.00 a Stream 80 lbs. wide Course S 30 W

24.00 up and across the stream to a bottom

40.00 Set temp^y. of Sec. post

67.50 to a Willow Swamp

79.50 Intersected the N. boundary 30 lbs. E. of post
(in Swamp) Good farming land, timber
Beech, Ash, Elm, Sugar tree &c.

South Corrected between Sec. 5 & 6

39.50 Set of Sec. post, from which

a Sugar tree 10 in. diam. bear S 40 W 7 lbs. dist. of

a Buckeye 6 " " " S 32 E 14 " "

79.50 to Sec. Corner

North Between Sec. 32 & 33

14.40 a Sugar tree 17 in. diam.

30.50 a Spring branch Course E.

40.00 Set of Sec. post from which

a Beech 14 in. diam. bear N 45 W 6 lbs. dist. of

a W. Ash 18 " " " S 45 E 14 " "

67.25 a Beech 11 " "

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which

a Beech 9 in. diam. bear S 53 E 9 lbs. dist. of

a Dr. 8 " " " N 26 W 10 " "

Land never good for farming, timber Beech,
Ash, Oak, Sugar tree Walnut &c. Dec. 10th 1810

West On Rand^m between Sec. 29 & 32

40.00 Set temp^y. of Sec. post

79.90 Intersected the N & S line 5 lbs. N. of post

Level good land, timber Beech, Oak, Poplar &c.

S16 N R14 E. 2nd Mer. Indiana

Ch. Lk.

East Corrected Between Sec. 29 & 32

17.90 a Sugar tree 10 in. diam.

39.95 Set q. Sec. post at average dist. from which
a Beech 8 in. diam. bears N 82° W 12 lbs. dist. of
a Do. 14 " " " S 26 E 21 " "

79.90 to Sec. Corner

North Between Sec. 28 & 29

10.60 a Beech 12 in. diam.

40.00 Set q. Sec. post, from which
a Beech 24 in. diam. bears N 71° W 10 lbs. dist. of
a Sugar 10 " " " S 49° W 17 " "

71.12 a Beech 9 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Sugar 28 in. diam. bears S 49° W 4 lbs. dist. of
a Beech 20 " " " N 30 E 18 " "Soil good farming land, timber Beech, Ash,
Sugar, Poplar &c.West On Rand^m. between Sec. 20 & 29

40.00 Set temp. q. Sec. post

79.86 Intersected the N & S. line 6 lbs. S. of post
Land timber &c. same as on the last mile

East Corrected between Sec. 20 & 29

39.93 Set q. Sec. post at average dist. from which
a Beech 12 in. diam. bears N 9 E 10 lbs. dist. of
a Do. 12 " " " S 46 E 11 " "

79.86 to Sec. Corner.

North Between Sec. 20 & 21

22.75 a Beech 13 in. diam.

40.00 Set q. Sec. post, from which
a Sugar 9 in. diam. bears S 27° W 13 lbs. dist
a Beech 6 " " " N 10 E 8 " "

54.00 a Sugar 8 " "

St. Mt. R. & E. 2^d. Mer. Indiana
ch. l. l.

80.00 At post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 6 mi. diam. bear N 63 E 5 lks. dist. of
a No. 20 " " " S 56 W 5 " "
Land level & good, timber Beech, Ash, Sugar &c.
December 11th 1810

West On Rand. between Sec. 17 & 20
40.00 At temp. q. Sec. post
80.17 Intersected the N & S line 16 lks. N. of the post
Land timber &c. same as on the last mile

East Corrected between Sec. 17 & 20
40.08 1/2 At q. Sec. post at average dist. from which
a Beech 12 mi. diam. bear S 75 E 9 lks. dist. of
a No. 12 " " " N 40 W 27 " "
80.17 to Sec. Corner

North Between Sec. 16 & 17
18.80 a Beech 11 mi. diam.
40.00 At q. Sec. post, from which
a Beech 24 mi. diam. bear N 11 E 12 lks. dist. of
a No. 6 " " " S 35 W 19 " "
71.17 a Sugar 8 " "
80.00 At post Corner to Sec. 8, 9, 16 & 17, from which
a Sugar 6 mi. diam. bear S 60 W 21 lks. dist. of
a Beech 7 " " " S 89 E 20 " "
Land timber &c. same as on the last mile

West On Rand. between Sec. 8 & 17
40.00 At temp. q. Sec. post
80.08 Intersected the N & S line 6 lks. N. of post
Level wet land, timber Beech, Poplar, Ash, Sugar &c.

East Corrected between Sec. 8 & 17
40.04 At q. Sec. post at average dist. from which
a White Ash 12 mi. diam. bear S 85 W 28 lks. dist. of

504

T16 N. R14 E. 2nd Mer. Indiana

ch. 16th

an Elm 12 in. diam. bear S117W23 lbs. dist.
80.08 to Sec. Corner. December 12th 1810

North Between Sec. 8 & 9, T16 N. R14 E.

27.12 an Ash 13 in. diam.

40.00 Set of Sec. post, from which
a B. Oak 12 in. diam. bear N20W13 lbs. dist. &
a Buckeye 5 " " " S35W19 " "

67.25 a Sugar tree 20 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
an Elm 20 in. diam. bear S68E47 lbs. dist. &
a W. Ash 20 " " " S1E32 " "

Level good farming land, timber Beech, Ash,
Elm, Sugar, Hickory &c

West On Rand^m. between Sec. 5 & 8

40.00 Set temp^y of Sec. post

80.14 Intersected the N & S. line 13 lbs. N. of post
Sand timber &c. Same as on the last mile

East Corrected between Sec. 5 & 8

40.07 Set of Sec. post at average dist. from which
a Hickory 20 in. diam. bear S74W26 lbs. dist. &
an Elm 15 " " " N65E15 " "

80.14 to Sec. Corner.

North On Rand^m. between Sec. 4 & 5

40.00 Set temp^y of Sec. post

53.50 a Stream 25 lbs. wide Course S.W.

79.59 Intersected the N. boundary 35 lbs. E. of post
Sand timber &c. Same as on the last mile

South Corrected between Sec. 4 & 5

39.59 Set of Sec. post, from which

a Sugar 6 in. diam. bear S19W11 lbs. dist. &
a Do. 20 " " " N51E35 " "

N. W. C. E. 2nd Mer. Indiana

ch. 1st Mer.

79.59 to Sec. Corner

North Between Sec. 33 & 34

8.18 a Beech 13 in. diam.

32.00 a Spring branch Course S. E.

40.00 Set of Sec. post, from which

a Beech 10 in. diam. bear N 10 E 14 lks. dist. of

a Sugar 14 " " " N 40 W 17 " "

55.00 a Stream 20 lks. wide Course S. E.

59.25 a Beech 17 in. diam.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 18 in. diam. bear N 12 E 45 lks. dist. of

a Sugar 14 " " " N 12 W 22 " "

Very uneven soil good, timber Beech, Ash
Sugar tree &c. December 13th 1810

West On Rand. between Sec. 28 & 33

40.00 Set temp. of Sec. post

79.92 Intersected the old S. line 10 lks. S. of post

Some uneven soil good, timber, Beech, Ash
Oak, Elm, Sugar tree &c

East Connected between Sec. 28 & 33

39.96 Set of Sec. post at average dist. from which

an Elm 3 in. diam. bear N 16 E 5 lks. dist. of

a Do. 3 " " " N 16 W 4 " "

79.92 to Sec. Corner.

East Between Sec. 27 & 34

13.50 a Sugar tree 14 in. diam.

34.75 a Stream 10 lks. wide Course South

37.41 Intersected the Old Indian boundary line

Set post at intersection from which

a Poplar 14 in. diam. bear S 82 E 9 lks. dist. of

a Do. 22 " " " N 82 W 15 " "

Land timber &c. same as on the last mile

N. W. 14 E. 2^d Mer. Indiana

506

ch. l. l. l.

North Between Sec. 27 & 28

12.50 a Sugar tree 16 in. diam.

40.00 Set of. Sec. post, from which

a Beech 8 in. diam. bray S 89 W 10 l. dist. 5

a Sugar 24 " " " S 35 E 14 " "

73.15 a Beech 9 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which

a Sugar 10 in. diam. bray S 29 E 10 l. dist. 5

a Do. 4 " " " N 86 W 11 " "

Level good soil, timber, Beech, Ash, Sugar &c

West Out Road between Sec. 21 & 28

40.00 Set temp. of. Sec. post

79.90 Intersected the old S. line at the post

Land timber &c. Same as on the last mile

East Corrected between Sec. 21 & 28

37.50 a W. Ash 18 in. diam.

39.95 Set of. Sec. post at average dist. from which

a Beech 8 in. diam. bray N 84 E 15 l. dist. 5

a Do. 6 " " " N 71 W 17 " "

79.90 to Sec. Corner. December 14th 1810

East Between Sec. 22 & 27

20.65 a White Oak 60 in. diam.

36.00 a Spring branch Course S.

40.00 Set of. Sec. post, from which

a Beech 12 in. diam. bray S 88 E 18 l. dist. 5

a Do. 12 " " " S 16 W 19 " "

53.82 Intersected the Old Indian boundary line

Set post at intersection, from which

a Beech 12 in. diam. bray S 21 E 19 l. dist. 5

a Do. 11 " " " N 72 W 13 " "

Uneven good farming land, timber Beech, Oak, Ash, Hickory, Walnut &c.

McN. R. H. E. 2^d. Mer. Indiana

Ch. P. Lk.

North Between Sec. 21 & 22

19.54 a Beech 11 in. diam.

40.00 Set of Sec. post, from which
at Beech 24 in. diam. bearing N 84° W 27 lks. dist. of
a do. 5 " " " S 74° E 13 " "

47.20 a Sugar 8 " "

80.00 Set post cor. to Sec. 15, 16, 21 & 22, from which
a Beech 15 in. diam. bearing S 15° E 18 lks. dist. of
a do. 13 " " " N 48° W 11 " "
Level good farming land, timber Beech,
Oak, Ash, Sugar tree &c.

West On Land^m. between Sec. 16 & 21

40.00 Set temp^y of Sec. post

79.85 Intersected W & S. line 7 lks. N. of post
Land timber &c. same as on the last mile

East Corrected between Sec. 16 & 21

39.92 Set of Sec. post at average dist. from which
a Beech 10 in. diam. bearing N 19° E 14 lks. dist. of
an Ash 14 " " " S 51° W 13 " "

79.85 to Sec. Corner.

East Between Sec. 15 & 22

17.00 a Spring branch Corner S. E.

23.70 a Sugar tree 19 in. diam.

40.00 Set of Sec. post, from which
a Beech 18 in. diam. bearing S 70° W 27 lks. dist. of
an Elm 6 " " " S 76° E 12 " "

69.50 Intersected Boundary line, set post, from which
a Buckeye 6 in. diam. bearing N 3° E 19 lks. dist. of
a Sugar tree 6 " " " S 25° E 24 " "
Some uneven, good farming, timber Beech,
Ash, Oak & Sugar tree

December 15th. 1870

578

S 16 N R 14 E. 2nd. Mer. Indiana

ch. lks

North Between Sec. 15 & 16

8.13 an Ash 22 in. diamt.

40.00 Set q. Sec. post, from which
a Beech 24 in. diamt. bear N 75 E 27 lks. dist. of
an Ash 4 " " " S 88 W 21 " "

43.19 a Beech 13 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 15 in. diamt. bear N 37 E 12 lks. dist. of
a Ho. 10 " " " N 83 W 30 lks. dist.
best good soil, timber Beech, ash, Sugar &c

West Between Sec. 9 & 16 On Random

40.00 Set temp. q. Sec. post

79.82 Intersected the N & S. line 12 lks. N. of post
Sand timber &c. Same as on the last mile

East Corrected between Sec. 9 & 16

19.82 a Beech 10 in. diamt.

39.91 Set q. Sec. post at average dist. from which
a Sugar 15 in. diamt. bear N 40 W 16 lks. dist. of
an Ironw. 4 " " " S 34 E 17 " "

79.82 to Sec. Corner

North Between Sec. 9 & 10

11.50 a Hickory 16 in. diamt.

40.00 Set q. Sec. post, from which
a Hickory 12 in. diamt. bear N 40 W 23 lks. dist. of
a Beech 11 " " " S 30 E 22 " "

59.12 a Beech 10 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a W. Ash 15 in. diamt. bear S 78 E 5 lks. dist. of
a Beech 9 " " " S 83 W 12 " "
Sand timber &c. Same as on the last mile

West On Rand^m. between Sec. 4 & 9

40.00 Set temp. q. Sec. post.

T16 N R14 E, 2^d Mer. Indiana
 ch. 1th
 79.90 Intersected the N & S. line 9th N. of post
 Good wet land, timber Beech, Ash,
 Buckeye, Oak, Hickory &c

East Corrected between Sec. 14 & 9

39.95 Set of. Sec. post at average dist. from which
 a Beech 26 in. diam. bear N 72° W 13th dist. of
 a Do. 10 " " " S 74° W 10 " "
 79.90 to Sec. Corner. December 16th 1870

North Between Sec. 3 & 4 on Random

40.00 Set temp. of. Sec. post

79.50 Intersected the E & W. line 14th E. of post
 Good good farming land, timber Beech, Ash,
 Hickory, Sugar &c

South Between Sec. 3 & 4 on true line

39.50 Set of. Sec. post, from which
 a Beech 8 in. diam. bear S 58° E 17th dist. of
 a Buckeye 12 " " " S 53° W 8 " "
 79.50 to Sec. Corner.

South Between Sec. 2 & 3, T16 N. R14 E.

14.40 a Beech 14 in. diam.

40.00 Set of. Sec. post, from which
 a Beech 3 in. diam. bear N 17° E 2th dist. of
 a Do. 6 " " " S 40° W 20 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 an Elm 5 in. diam. bear S 5° E 15th dist. of
 a Beech 18 " " " N 43° W 13 " "

Sand timber &c. Same as on the last mile

East Between Sec. 2 & 11

24.50 Intersected the Boundary, Set post, from which
 a B. Oak 30 in. diam. bear N 59° E 13th dist. of
 a Beech 20 " " " N 86° W 33 " "

510

West R14 E. 2nd Mer. Indiana
ch^d l^y.
Level good land, timber Beech, Sugar tree &c

West On Rand^m. between Sec. 3 & 10
40.00 Set temp^y. q^r. Sec. post
79.30 Intersected the N & S. line 40 l^ys. S. of post
Land timber &c. Same as on the last mile

East Corrected between Sec. 3 & 10
39.65 Set q^r. Sec. post at average dist from which
a Beech 14 in. diam. bear stand for q^r. post
a Do. 12 " " bear 130 E 41 l^ys. dist. of
a W. Oak 12 " " " N 35 W 31 " "
79.30 to Sec. Corner. Dec. 17th 1810

South / Between Sec. 10 & 11
17.27 at Beech 11 in. diam.
40.00 Set q^r. Sec. post, from which
a Beech 6 in. diam. bear N 79 E 25 l^ys. dist. of
a Do 9 " " " N 71 W 25 " "
73.19 a Sugar 18 " "
80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Hickory 15 in. diam. bear S 43 W 12 l^ys. dist. of
a Do. 15 " " " N 65 E 17 " "
Land timber &c. Same as on the last mile

West On Rand^m. between Sec. 10 & 15
40.00 Set temp^y. q^r. Sec. post
79.36 Intersected the N & S. line 6 l^ys. N. of Corner
Level good farming land, timber Beech, Ash,
Oak, Sugar tree &c.

East Corrected between Sec. 10 & 15
39.68 Set q^r. Sec. post at average dist. from which
a W. Oak 20 in. diam. bear N 7 E 20 l^ys. dist. of
a Beech 10 " " " N 45 E 3 " "
79.36 to Sec. Corner.

N^o 16 N. R 14 E. 2^d Mer. Indiana

ch^d. 16th.

East Between Sec. 11 & 14

6.84 Intersected Boundary line, set post, from which
at Beech 18 in. diam. bear N 70 W 17th dist. of
a No. 12 " " " 183635 " "

South Between Sec. 14 & 15, N^o 16 N, R 14 E.

14.20 at Beech 10 in. diam. /

31.55 Intersected Boundary line, set post, from which
at Beech 3 in. diam. bear N 13 E 24th dist. of
a No. 5 " " " N 30 E 30 " "

Level good farming land, timber, Beech, Ash,
Sugar tree &c. December 18th 1810

Surveyed by me

John G. Macan

Deputy Surveyor

I Certify that foregoing transcript of field
notes of fractional Township N^o 16 North, Range
N^o 14 East 2^d Principal Meridian Indiana,
has been compared with the original field
notes in this Office, and found to be correct.

Surveyor General's Office

Detroit, July 26th 1845

Lucius Lyon,

Sur. Genl.

The field notes herein described, contained on pages One to Four hundred and fifty nine inclusive, were Transcribed in April & May 1845, but were not then certified by the Surveyor General.

We hereby certify that the Transcript of field notes contained in this Volume on the pages above mentioned, are correct; the same having been carefully compared with the original notes in this office, and corrected by us.
Surveyor General's Office,
Detroit. Oct. 22^d 1849 }

J. E. Hyde
J. E. Demill